

Discrete Probability Intro

Note 13

Probability Space: A probability space is a tuple (Ω, \mathbb{P}) , where Ω is the *sample space* and \mathbb{P} is the *probability function* on the sample space.

Specifically, Ω is the set of all outcomes ω , and \mathbb{P} is a function $\mathbb{P}: \Omega \rightarrow [0, 1]$, assigning a probability to each outcome, satisfying the following conditions:

$$0 \leq \mathbb{P}[\omega] \leq 1 \quad \text{and} \quad \sum_{\omega \in \Omega} \mathbb{P}[\omega] = 1.$$

Event: an event A is a subset of Ω , i.e. a collection of some outcomes in the sample space. We define

$$\mathbb{P}[A] = \sum_{\omega \in A} \mathbb{P}[\omega].$$

Complement: The complement of an event A , denoted as \bar{A} , is the set of the outcomes in Ω that are not in A .

Uniform Probability Space: all outcomes are assigned the same probability, i.e. $\mathbb{P}[\omega] = \frac{1}{|\Omega|}$; this is just counting!

With an event A in a uniform probability space, $\mathbb{P}[A] = \frac{|A|}{|\Omega|}$, which is again more counting!

1 Venn Diagram

Note 13

Out of 1,000 computer science students, 400 belong to a club (and may work part time), 500 work part time (and may belong to a club), and 50 belong to a club and work part time.

- (a) Suppose we choose a student uniformly at random. Let C be the event that the student belongs to a club and P the event that the student works part time. Draw a picture of the sample space Ω and the events C and P .

- (b) What is the probability that the student belongs to a club?

- (c) What is the probability that the student works part time?

- (d) What is the probability that the student belongs to a club AND works part time?

- (e) What is the probability that the student belongs to a club OR works part time?

2 Flippin' Coins

Note 13

Suppose we have an unbiased coin, with outcomes H and T , with probability of heads $\mathbb{P}[H] = 1/2$ and probability of tails also $\mathbb{P}[T] = 1/2$. Suppose we perform an experiment in which we toss the coin 3 times. An outcome of this experiment is (X_1, X_2, X_3) , where $X_i \in \{H, T\}$.

- (a) What is the *sample space* for our experiment?
- (b) Which of the following are examples of *events*? Select all that apply.
- $\{(H, H, T), (H, H), (T)\}$
 - $\{(T, H, H), (H, T, H), (H, H, T), (H, H, H)\}$
 - $\{(T, T, T)\}$
 - $\{(T, T, T), (H, H, H)\}$
 - $\{(T, H, T), (H, H, T)\}$
- (c) What is the complement of the event $\{(H, H, H), (H, H, T), (H, T, H), (H, T, T), (T, T, T)\}$?
- (d) Let A be the event that our outcome has 0 heads. Let B be the event that our outcome has exactly 2 heads. What is $A \cup B$?
- (e) What is the probability of the outcome (H, H, T) ?
- (f) What is the probability of the event that our outcome has exactly two heads?
- (g) What is the probability of the event that our outcome has at least one head?

4 Intransitive Dice

Note 13

You're playing a game with your friend Bob, who has a set of three dice. You'll each choose a different die, roll it, and whoever had the higher result wins. The dice have sides as follows:

- Die A has sides 2, 2, 4, 4, 9, and 9.
 - Die B has sides 1, 1, 6, 6, 8, and 8.
 - Die C has sides 3, 3, 5, 5, 7, and 7.
- (a) Suppose you have chosen die A and Bob has chosen die B. What is the probability that you win?
Hint: It may be easier to work with a sample space smaller than 6×6 .

(b) Suppose you have chosen die B and Bob has chosen die C. What is the probability that you win?

(c) Suppose you have chosen die C and Bob has chosen die A. What is the probability that you win?

(d) Bob offers to let you choose your die first so that you can choose the best one. Is this an offer you should accept? Why or why not?